Hong Kong Exchanges and Clearing Limited and The Stock Exchange of Hong Kong Limited take no responsibility for the contents of this document, make no representation as to its accuracy or completeness and expressly disclaim any liability whatsoever for any loss howsoever arising from or in reliance upon the whole or any part of the contents of this document.



新疆天業節水灌溉股份有限公司 XINJIANG TIANYE WATER SAVING IRRIGATION SYSTEM COMPANY LIMITED*

(a joint stock limited company incorporated in the People's Republic of China)

(Stock Code: 840)

NOTICE OF BOARD MEETING

The board (the "Board") of directors (the "Directors") of Xinjiang Tianye Water Saving Irrigation System Company Limited* (the "Company") hereby announces that a meeting of the Board will be held at the Conference Room, No. 36 Bei San Dong Road, Shihezi Economic and Technological Development Zone, Shihezi, Xinjiang, the People's Republic of China on Friday, 29 July 2011 at 11:00 a.m. for the following purposes:

- 1. To consider and approve the unaudited interim results of the Company and its subsidiaries (the "Group") for the six months ended 30 June 2011;
- 2. To consider and approve the draft announcement for the unaudited interim results of the Group for the six months ended 30 June 2011 for publication on the website of The Stock Exchange of Hong Kong Limited and the Company;
- 3. To consider the payment of dividend, if any;
- 4. To consider the closure of the register of members of the Company, if necessary; and
- 5. To transact any other business, if any.

By order of the Board of Xinjiang Tianye Water Saving Irrigation System Company Limited* Chow Yuk Lan

Company Secretary

Hong Kong, 13 July 2011

As at the date of this announcement, the Board comprises six executive Directors namely Mr. Hou Guo Jun (Chairman), Mr. Shi Xiang Shen, Mr. Yin Xiu Fa, Mr. Li Shuang Quan, Mr. Zhu Jia Ji and Mr. Chen Lin, and five independent non-executive Directors namely Mr. He Lin Wang, Mr. Gu Lie Feng, Mr. Xia Jun Ming, Mr. Wang Yun and Mr. Mak King Sau.

^{*} For identification purposes only